

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|-------|--|----------------------------|------------------|---------|---------------------|
| L2 | 29340 | resin molding | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 13:09 |
| L3 | 132 | resin molding and furnace | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 13:09 |
| L4 | 2 | resin molding and furnace and abs | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 13:19 |
| L5 | 2 | resin molding and furnace and \$abs | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 13:41 |
| L6 | 63 | resin molding and furnace and heat | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 13:42 |
| L7 | 0 | resin molding and furnace and hea(t or ted or ting) | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 13:42 |
| L8 | 0 | resin molding and furnace and hea (t or ted or ting) | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 13:43 |
| L9 | 0 | resin molding and furnace and hea (t, ted, ting) | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 13:43 |
| L10 | 0 | resin molding and furnace and hea(t, ted, ting) | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 13:43 |
| L11 | 99 | resin molding and furnace and (heat or heated or heating) | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 13:43 |
| L12 | 5 | resin molding and (electric or gas) furnace and (heat or heated or heating) | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 13:44 |
| L13 | 99 | resin molding and furnace and (heat or heated or heating) | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 13:45 |
| L14 | 16 | resin molding and furnace and (heat or heated or heating) and (plate or plating) | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 13:47 |

| | | | | | | |
|-----|------|---|---|-----|----|------------------|
| L15 | 0 | resin molding and furnace and polyvinyl\$ chloride and (heat or heated or heating) and (plate or plating) | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 13:48 |
| L16 | 0 | resin molding and furnace and polyvinyl\$chloride and (heat or heated or heating) and (plate or plating) | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 13:48 |
| L17 | 0 | resin molding and furnace and polyvinyl\$chloride and (plate or plating) | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 13:49 |
| L18 | 1658 | abs and pc | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 13:49 |
| L19 | 444 | abs and pc and resin | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 13:49 |
| L20 | 0 | abs and pc and resin and furnace | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 13:49 |
| L21 | 143 | abs and pc and resin and (heat or heating or heated) | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 13:49 |
| L22 | 0 | pc and abs and furnace | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 15:41 |
| L23 | 111 | pc and abs and hours | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 15:41 |
| L24 | 43 | pc and abs and hours and (heat or heated or heating) | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 15:41 |
| L25 | 68 | pc and abs and hours not l24 | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 15:44 |
| L26 | 70 | abs and pc and resin and (plate or plating) | FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/28 15:44 |
| S1 | 1 | 10/561966 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/23 14:59 |

| | | | | | | |
|-----|------|--|---|-----|----|---------------------|
| S2 | 19 | Kakihara kunihiro. in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/23 15:00 |
| S3 | 35 | noda yoshinori.in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/23 15:27 |
| S4 | 0 | KAKI HARA KOGYO. in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/23 15:29 |
| S5 | 35 | KAKI HARA KOGYO. as. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/23 15:29 |
| S6 | 2 | KAKI HARA KOGYO. as. and parting line | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/23 15:29 |
| S7 | 6 | "3830893".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/23 15:30 |
| S8 | 4971 | resin and parting line | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/23 15:31 |
| S9 | 187 | resin and parting line and pre\$heat | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/23 15:32 |
| S10 | 18 | resin and parting line and pre\$heat and peeling | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/23 15:32 |

| | | | | | | |
|-----|------|---|---|-----|----|---------------------|
| S11 | 452 | resin plating | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/23 15:35 |
| S12 | 97 | resin plating and abs | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/23 15:35 |
| S13 | 41 | resin plating and abs and (pre\$heat or heat or heating) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/23 15:41 |
| S14 | 41 | resin plating and abs and (pre\$heat or heat or heating or heat\$treat\$) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/23 15:42 |
| S15 | 43 | resin plating and abs and (pre\$heat or heat or heating or heat\$treat\$ or heated) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/23 15:42 |
| S16 | 2 | resin plating and blistering | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/23 15:49 |
| S17 | 9 | resin plating and blister\$ | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/23 15:50 |
| S18 | 19 | resin plating method | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/23 15:53 |
| S19 | 1398 | (ABS or PC) and resin and pre \$heat | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/26 13:10 |

| | | | | | | |
|-----|-----|---|---|-----|----|---------------------|
| S20 | 12 | (ABS or PC) and resin and pre \$heat and parting line | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/26 13:11 |
| S21 | 11 | heat treatment and (gas or electric) furnace and 80-85 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/26 13:19 |
| S22 | 1 | heat treatment and (gas or electric) furnace and ABS and PC \$ABS | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/26 13:25 |
| S23 | 301 | heat treatment and (gas or electric) furnace and ABS | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/26 13:25 |
| S24 | 5 | heat treatment and (gas or electric) furnace and ABS and resin molding | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/26 13:25 |
| S25 | 8 | (heat or heating) and (gas or electric) furnace and ABS and resin molding | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/26 13:26 |
| S26 | 0 | 80-85 and 110-120 and (gas or electric) furnace and ABS and resin molding | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/26 13:28 |
| S27 | 0 | 80-85 and 110-120 and (gas or electric) furnace and ABS | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/26 13:28 |
| S28 | 0 | 80-85 and 110-120 and (gas or electric) furnace | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/26 13:28 |

| | | | | | | |
|-----|------|--|---|-----|----|---------------------|
| S29 | 100 | 80-85 and 110-120 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/26 13:28 |
| S30 | 2445 | PC\$abs | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/26 13:29 |
| S31 | 86 | PC\$abs and concaves | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/26 13:31 |
| S32 | 9 | PC\$abs and concaves and (heat or heating) and hours | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/26 13:32 |
| S33 | 52 | resin molding and pc\$abs | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/26 13:35 |
| S34 | 4 | resin molding and pc\$abs and (heat or heating or heated) and furnace | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/26 13:36 |
| S35 | 1 | method and whole with resin molding with heat treatment | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/26 13:51 |
| S36 | 53 | method and resin molding with heat treatment | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/26 13:51 |
| S37 | 1 | method and resin molding with heat treatment and "80" and "85" and "110" and "120" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/26 13:53 |

| | | | | | | |
|-----|----|---|---|-----|----|---------------------|
| S38 | 0 | resin molding with heat treatment and "80" with "85" and "110" with "120" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/26 13:55 |
| S39 | 60 | resin with heat treatment and "80" with "85" and "110" with "120" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/26 13:55 |
| S40 | 14 | resin molding and pc and abs and (heat or heating or heated) and furnace | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/26 13:58 |
| S41 | 3 | resin molding and pc and abs and (pre\$heat or pre \$heating) and furnace | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/26 14:16 |
| S42 | 42 | ("2898632" "3170010" "3224037" "3225126" "3235908" "3236927" "3278658" "3417173" "3424827" "3534128" "3792137" "3801244" "3837769" "3874830" "3897201").PN. OR ("4333897"). URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/01/26 14:20 |
| S43 | 13 | ((("2898632" "3170010" "3224037" "3225126" "3235908" "3236927" "3278658" "3417173" "3424827" "3534128" "3792137" "3801244" "3837769" "3874830" | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/01/26 14:21 |

| | | | | | | |
|-----|-----|--|---|-----|----|---------------------|
| | | "3897201"), PN. OR ("4333897"). URPN.) and degree | | | | |
| S44 | 3 | "4300880".pn. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT | ADJ | ON | 2009/01/26 14:26 |
| S45 | 2 | (("2898632" "3170010" "3224037" "3225126" "3235908" "3236927" "3278658" "3417173" "3424827" "3534128" "3792137" "3801244" "3837769" "3874830" "3897201"), PN. OR ("4333897"). URPN.) and degree and resin | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/01/26 14:41 |
| S46 | 1 | "4923658".pn. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/01/26 14:44 |
| S47 | 230 | resin plating | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/01/26 15:09 |
| S48 | 142 | resin plating and (heat or heating or heated or pre \$heat or pre \$heating) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/01/26 15:11 |
| S49 | 1 | resin plating.tl. and (heat or heating or heated or pre\$heat or pre \$heating) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/01/26 15:11 |

1/ 28/ 2009 4:50:41 PM

C:\Documents and Settings\hleong\My Documents\EAST\Workspaces\10561966.wsp